

```
<center>
```

```
<hr color="#fff" noshade="" size="1" style="background-color: #0030ce; border-style: dotted; border-width: 3px; color: lime;" />
```

```
<br />
```

```
<h1>URL Encode Tool Online</h1>
```

```
<textarea cols="60" id="encodeTxt" rows="3"></textarea><br /><br />
```

```
<button button="" onclick="urlencodeTxt()" style="-webkit-transition-duration: 0.4s; background: rgb(255, 0, 0); border-radius: 30px; border: 5px groove rgb(0, 48, 206); color: white; cursor: pointer; font-size: 16px; overflow: hidden; padding: 10px 25px; position: relative; text-align: center; text-decoration: none; transition-duration: 0.4s; width: 270px;"> <b>CLICK TO ENCODE URL</b> </button>
```

```
<br /><br />
```

```
<textarea cols="60" id="encodeResult" rows="3"></textarea>
```

```
<br />
```

```
<style>
```

```
textarea {
```

```
width: 50%;
```

```
height: 70px;
```

```
padding: 12px 20px;
```

```
box-sizing: border-box;
```

```
border: 7px groove #0030CE;
```

```
border-radius: 14px;
```

```
background-color: #f8f8f8;
```

```
font-size: 18px;

resize: none;

}

</style>
```

```
<script>
```

```
function urlencodeTxt() {

var urlEncodeTxt = document.getElementById("encodeTxt").value;

var resEncode = encodeURIComponent(urlEncodeTxt);

document.getElementById("encodeResult").value = resEncode;

}
```

```
</script>
```

```
<br />
```

```
<hr color="#fff" noshade="" size="1" style="background-color: #0030ce; border-style: dotted; border-width: 3px; color: lime;" />
```

```
<h1>URL Decode Online Tool</h1>
```

```
<textarea cols="60" id="decodeTxt" rows="3"></textarea><br /><br />
```

```
<button button="" onclick="urldecodeTxt()" style="-webkit-transition-duration: 0.4s; background: rgb(255, 0, 0); border-radius: 30px; border: 5px groove rgb(0, 48, 206); color: white; cursor: pointer;
```

```
font-size: 16px; overflow: hidden; padding: 10px 25px; position: relative; text-align: center; text-decoration: none; transition-duration: 0.4s; width: 270px;"> <b>CLICK TO DECODE URL</b> </button>  
<br /><br />
```

```
<textarea cols="60" id="decodeResult" rows="3"></textarea>
```

```
<br />
```

```
<script>
```

```
function urldecodeTxt() {  
  
var urlDecodeTxt = document.getElementById("decodeTxt").value;  
  
var resDecode = decodeURIComponent(urlDecodeTxt);  
  
document.getElementById("decodeResult").value = resDecode;  
  
}
```

```
</script>
```

```
<br />
```

```
<hr color="#fff" noshade="" size="1" style="background-color: #0030ce; border-style: dotted; border-width: 3px; color: lime;" />
```

```
<br /><a href="https://www.tutorialweb3.com/" target="_blank">***</a>
```

```
</center>
```

```
<br /><h2 style="text-align: left;">URL Encode Decode Online Tool</h2><div>URL Encode Decode Tool  
is an online free tool for encode decode URLs, Our URL Encode Decode Tool is very easy to use and  
always free, by using our URL Encode Decode Tool you can easily encode and decode URLs in one click,  
URL Encode Decode is the practice of encoding information in a Uniform Resource Locator (URL) in a  
way that is not normally used, typically to enable the use of characters in a URL that is not supported in  
the character set being used on the webpage or are disallowed for security reasons.&nbsp; URL Encode  
Decode&nbsp;is also sometimes referred to as percent-encoding.</div><div><br /></div><div>URL
```

Encode Decode Online Tool will encode and decode a string. The encoding converts the string to a format where it can be transmitted safely, moving it away from being a string that could be interpreted as a command. URL Encode Decode Online Tool will also convert the string to a format that can be stored safely, moving it away from being a string that could be interpreted as data by a program or user. Some characters are encoded differently depending on the context in which they appear.